

COVID-19 Treatments Can Decrease Your Risk of Hospitalization and Death

These treatments must be given early to work and require a positive COVID-19 test of any type.

Early testing and treatment are key. Have symptoms? Don't wait to see if treatment is right for you.

The following options are available to treat people who are likely to get very sick from COVID-19:



Antivirals, which are pills, must be started **within 5 days** of your first COVID-19 symptoms. They require a prescription.



Monoclonal Antibodies (mAbs), which are injections or infusions, must be given **within 7 days** of your first COVID-19 symptoms.



Other treatments may be available and must be taken shortly after COVID-19 symptoms begin. If you have symptoms, **don't wait**, seek testing right away and talk to a health care provider.



To find treatment in your area visit: covid19.ncdhhs.gov/FindTreatment

Cost and Insurance

Medicare, Medicaid and some private insurance companies may cover treatment costs. Check with your health plan to determine if you will have to pay for part of your treatment. No medical insurance or doctor? Visit covid19.ncdhhs.gov/FindTreatment to find Test-to-Treat locations where you can get tested and treated in one visit, even if you don't have insurance.



Treatments are not a substitute for vaccination against COVID-19. To learn more and find vaccine locations visit: myspot.nc.gov.

Questions

Talk to your doctor, visit covid19.ncdhhs.gov/treatment or call 888-675-4567. The call center can assist people who do not have a health care provider.



Los tratamientos de COVID-19 pueden disminuir tu riesgo de hospitalización y muerte

Estos tratamientos deben administrarse temprano para que funcionen y requieren una prueba positiva de COVID-19 de cualquier tipo.

Las pruebas y el tratamiento temprano son fundamentales.
¿Tienes síntomas? No esperes para ver si el tratamiento es adecuado para ti.

Las siguientes opciones están disponibles para tratar a las personas que probablemente se enfermen gravemente a causa del COVID-19:



Los antivirales, que son pastillas, deben comenzarse **dentro de los 5 días** posteriores a los primeros síntomas de COVID-19. Estos requieren una receta médica.



Los anticuerpos monoclonales (mAbs), que son inyecciones o infusiones, deben administrarse **dentro de los 7 días** posteriores a los primeros síntomas de COVID-19.



Es posible que haya otros tratamientos disponibles y deben tomarse poco después de que comiencen los síntomas de COVID-19. Si tienes síntomas, **no esperes**, realiza la prueba de inmediato y habla con un proveedor de atención médica.



Para encontrar tratamiento en tu área, visita: covid19.ncdhhs.gov/FindTreatment

Costo y seguro médico

Medicare, Medicaid y algunas compañías de seguros privadas pueden cubrir los costos del tratamiento. Consulta con tu plan de salud para determinar si tendrás que pagar parte de tu tratamiento. ¿No tienes seguro de salud o un médico? Visita covid19.ncdhhs.gov/tratamientos para encontrar ubicaciones de Pruebas-para-Tratar donde puedes hacerte la prueba y conseguir tratamiento en una visita, aunque no tengas seguro de salud.



Los tratamientos no sustituyen a la vacunación contra el COVID-19.
Para obtener más información y encontrar centros de vacunación, visita Vacunate.nc.gov.

¿Tienes alguna pregunta?

Habla con tu médico, visita: covid19.ncdhhs.gov/tratamiento o llama al 888-675-4567. El centro de llamadas puede ayudar a las personas que no tienen un proveedor de atención médica.

